| T-I | ᅕ | 굿 | 로 | \Box | \neg |
|-----|---|---|---|---------------|--------|
| ΛTI | = | 7 | = | $\overline{}$ | |

- 발표분야콜로이드 및 분자조립 부문위원회
- 발표구분포스터발표Poster presentation
- ◎ 발표장치
- Poster
- ◎ 제목

GHK Tripeptide functionalized with self-assembled peptide-gold nanoparticles for therapeutic applications

- ◎ 공동저자
 - <u>김리서</u> (광주과학기술원, 학사, 회원)
 - 전나영 (광주과학기술원, 석사, 회원)
 - 한은희 (한국기초과학지원연구원, 박사, 비회원)
 - 이은지 (광주과학기술원, 박사, 회원)
- ◯ 발표자

김리서 (광주과학기술원 , **Email:** le*******@gm********, 전화**:** ******5671

○ 연구책임자 이은지 (광주과학기술원 , **Email:** eu*****@gi*******, 전화**:** ******5919

◎ 키워드

Self-assembly, GHK tripeptide, Gold nanoparticle hybrids, wound healing, photothermal therapy

- 우수논문발표상우수논문발표상에 응모합니다.
- 발표자료 준비 관련 안내발표자료 준비 관련 안내문을 모두 읽고 확인하였습니다.

GHK Tripeptide functionalized with self-assembled peptide-gold nanoparticles for therapeutic applications

김리서, 전나영, 한은희 1 , 이은지 † 광주과학기술원; 1 한국기초과학지원연구원

Glycyl-L-histidyl-L-lysine(GHK) tripeptides are known for therapeutic potential like wound-healing, anti-inflammatory activity, and cellular regeneration. However, there has a problem about poor biological stability and limited efficacy in a physiological medium. Supramolecular peptide nanofiber-gold nanoparticle nanohybrids functionalized with GHK tripeptides overcome these limitations and enhances therapeutic efficacy and material ability. 9-fluorenylmethoxycarbonyl-diphenylalanine scaffolds with GHK and KHG tripeptides form self-assembled fibrillar structures. Amino acid sequence influences surface exposure of lysine can impact wound-healing capabilities. Au NPs are spatially confined within the peptide nanofibers. It shows superior near-infrared(NIR) light absorption and photothermal conversion efficiency. We overcome cytotoxicity and biodegradability concerns of conventional photothermal agents, offering a strategy for post-operative cancer therapy and tissue regeneration.

